

### 13. 骨粗鬆症

#### (1) 骨密度検査

##### ① 1日人間ドック

<骨密度検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	1	5	8	17	25	9	2	67	73.6
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	5	4	5	0	14	15.4
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	0	3	5	2	10	11.0
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	1	5	8	22	32	19	4	91	100
有所見者数 (人)	0	0	0	5	7	10	2	24	26.4
有所見者率 (%)	0.0	0.0	0.0	22.7	21.9	52.6	50.0	26.4	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	26	424	809	738	193	15	0	2,205	70.2
B1	0	0	0	0	0	0	0	0	0.0
B2	1	15	49	205	200	30	3	503	16.0
C	0	0	0	0	0	0	0	0	0.0
D	1	2	3	84	142	0	0	232	7.4
E	0	0	0	0	82	102	18	202	6.4
受診者数 (人)	28	441	861	1,027	617	147	21	3,142	100
有所見者数 (人)	2	17	52	289	424	132	21	937	29.8
有所見者率 (%)	7.1	3.9	6.0	28.1	68.7	89.8	100.0	29.8	

② 2日人間ドック

<骨密度検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	1	15	8	13	54	52	143	50.0
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	1	2	4	40	34	81	28.3
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	0	2	16	44	62	21.7
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	1	16	10	19	110	130	286	100.0
有所見者数 (人)	0	0	1	2	6	56	78	143	50.0
有所見者率 (%)	0.0	0.0	6.3	20.0	31.6	50.9	60.0	50.0	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	1	8	26	18	12	5	70	22.0
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	1	9	34	25	6	75	23.6
C	0	0	0	0	0	0	0	0	0.0
D	0	0	1	9	12	0	0	22	6.9
E	0	0	0	0	19	82	50	151	47.5
受診者数 (人)	0	1	10	44	83	119	61	318	100.0
有所見者数 (人)	0	0	2	18	65	107	56	248	78.0
有所見者率 (%)	0.0	0.0	20.0	40.9	78.3	89.9	91.8	78.0	

③ 全国健保管掌健康保険生活習慣病予防健診

<骨密度検査結果判定>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	1	1	3	5	1	0	11	91.7
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	1	0	0	1	8.3
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	0	0	0	0	0	0.0
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	1	1	3	6	1	0	12	100.0
有所見者数 (人)	0	0	0	0	1	0	0	1	8.3
有所見者率 (%)	0.0	0.0	0.0	0.0	16.7	0.0	0.0	8.3	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	3	14	25	8	0	0	50	54.3
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	1	14	12	0	0	27	29.3
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	4	8	0	0	12	13.0
E	0	0	0	0	2	1	0	3	3.3
受診者数 (人)	0	3	15	43	30	1	0	92	100.0
有所見者数 (人)	0	0	1	18	22	1	0	42	45.7
有所見者率 (%)	0.0	0.0	6.7	41.9	73.3	100.0	0.0	45.7	

④ 集団検診

<骨密度検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	6	44	44	114	132	30	370	71.2
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	1	4	23	35	25	88	16.9
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	1	4	32	25	62	11.9
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	6	45	49	141	199	80	520	100.0
有所見者数 (人)	0	0	1	5	27	67	50	150	28.8
有所見者率 (%)	0.0	0.0	2.2	10.2	19.1	33.7	62.5	28.8	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	44	122	348	404	220	89	14	1,241	51.0
B1	0	0	0	0	0	0	0	0	0.0
B2	3	8	21	83	180	149	20	464	19.1
C	0	0	0	0	0	0	0	0	0.0
D	0	0	1	39	81	0	0	121	5.0
E	0	0	0	0	86	352	169	607	24.9
受診者数 (人)	47	130	370	526	567	590	203	2,433	100.0
有所見者数 (人)	3	8	22	122	347	501	189	1,192	49.0
有所見者率 (%)	6.4	6.2	5.9	23.2	61.2	84.9	93.1	49.0	